

COT 5407: Introduction to Algorithms

Giri NARASIMHAN

www.cs.fiu.edu/~giri/teach/5407S19.html

Polynomial-time computations

- An algorithm has time complexity $O(T(n))$ if it runs in time at most $cT(n)$ for every input of length n .
- An algorithm is a polynomial-time algorithm if its time complexity is $O(p(n))$, where $p(n)$ is polynomial in n .

Polynomials

- If $f(n)$ = polynomial function in n ,
then $f(n) = O(n^c)$, for some fixed constant c
- If $f(n)$ = exponential (super-poly) function in n ,
then $f(n) = \omega(n^c)$, for any constant c
- Composition of polynomial functions are also polynomial, i.e.,
 $f(g(n))$ = polynomial if $f()$ and $g()$ are polynomial
- If an algorithm calls another polynomial-time subroutine a polynomial number of times, then the time complexity is polynomial.

The class \mathcal{P}

- A problem is in \mathcal{P} if there exists a polynomial-time algorithm that solves the problem.
- Examples of \mathcal{P}
 - *DFS*: Linear-time algorithm exists
 - *Sorting*: $O(n \log n)$ -time algorithm exists
 - *Bubble Sort*: Quadratic-time algorithm $O(n^2)$
 - *APSP*: Cubic-time algorithm $O(n^3)$
- \mathcal{P} is therefore a class of problems (not algorithms)!

The class NP

- A problem is in NP if there exists a **non-deterministic** polynomial-time algorithm that solves the problem.
- A problem is in NP if there exists a (**deterministic**) polynomial-time algorithm that **verifies** a solution to the problem.
- All problems that are in P are also in NP
- All problems that are in NP may not be in P

TSP: Traveling Salesperson Problem

➤ Input:

- Weighted graph, G
- Length bound, B

➤ Output:

- Is there a traveling salesperson tour in G of length at most B ?

➤ Is TSP in NP ?

- **YES.** Easy to verify a given solution.

➤ Is TSP in P ?

- **OPEN!**
- One of the greatest unsolved problems of this century!
- Same as asking: Is $P = NP$?

So, what is *NP-Complete*?

- *NP-Complete* problems are the “hardest” problems in *NP*.
- We need to formalize the notion of “hardest”.

Terminology

➤ Problem:

- An **abstract problem** is a function (relation) from a set **I** of instances of the problem to a set **S** of solutions.

$$p: I \rightarrow S$$

- An **instance** of a problem **p** is obtained by assigning values to the parameters of the abstract problem.
- Thus, describing set of all instances (i.e., possible inputs) and set of corresponding outputs defines a problem.

➤ Algorithm:

- An algorithm that solves problem **p** must give **correct** solutions to **all** instances of the problem.

➤ Polynomial-time algorithm:

Terminology (Cont'd)

- **Input Length:**
 - **length** of an encoding of an instance of the problem.
 - Time and space complexities are written in terms of it.
- **Worst-case time/space complexity of an algorithm**
 - Is the **maximum** time/space required by the algorithm on any input of length n .
- **Worst-case time/space complexity of a problem**
 - **UPPER BOUND:** worst-case time complexity of best existing algorithm that solves the problem.
 - **LOWER BOUND:** (provable) worst-case time complexity of best algorithm (need not exist) that could solve the problem.
 - **LOWER BOUND \leq UPPER BOUND**
- **Complexity Class \mathcal{P} :**
 - Set of all problems p for which polynomial-time algorithms exist

Terminology (Cont'd)

10

- **Decision Problems:**
 - These are problems for which the solution set is {**yes**, **no**}
 - Example: Does a given graph have an odd cycle?
 - Example: Does a given weighted graph have a TSP tour of length at most B ?
- **Complement of a decision problem:**
 - These are problems for which the solution is “complemented”.
 - Example: Does a given graph **NOT** have an odd cycle?
 - Example: Is every TSP tour of a given weighted graph of length greater than B ?
- **Optimization Problems:**
 - These are problems where one is maximizing (or minimizing) some objective function.
 - Example: Given a weighted graph, find a MST.
 - Example: Given a weighted graph, find an optimal TSP tour.
- **Verification Algorithms:**
 - Given a problem instance i and a certificate s , is s a solution for instance i ?

Terminology (Cont'd)

- Complexity Class \mathcal{P} :
 - Set of all problems p for which polynomial-time algorithms exist.
- Complexity Class \mathcal{NP} :
 - Set of all problems p for which polynomial-time verification algorithms exist.
- Complexity Class $co\text{-}\mathcal{NP}$:
 - Set of all problems p for which polynomial-time verification algorithms exist for their **complements**, i.e., their complements are in \mathcal{NP} .

Terminology (Cont'd)

➤ Reductions: $p_1 \rightarrow p_2$

- A problem p_1 is reducible to p_2 , if there exists an algorithm R that takes an instance i_1 of p_1 and outputs an instance i_2 of p_2 , with the constraint that the solution for i_1 is YES if and only if the solution for i_2 is YES.
- Thus, R converts YES (NO) instances of p_1 to YES (NO) instances of p_2 .

➤ Polynomial-time reductions: $p_1 \xrightarrow{P} p_2$

- R. If $p_1 \xrightarrow{P} p_2$, then

-If p_2 is easy, then so is p_1 .

$$p_2 \in \mathcal{P} \Rightarrow p_1 \in \mathcal{P}$$

-If p_1 is hard, then so is p_2 .

$$p_1 \notin \mathcal{P} \Rightarrow p_2 \notin \mathcal{P}$$

What are *NP-Complete* problems?

- These are the hardest problems in *NP*.
- A problem **p** is *NP-Complete* if
 - there is a polynomial-time reduction from every problem in *NP* to **p**.
 - $p \in NP$
- How to prove that a problem is *NP-Complete*?

- **Cook's Theorem:** [1972]
 - The SAT problem is *NP-Complete*.

NP-Complete VS *NP-Hard*

- A problem **p** is *NP-Complete* if
 - there is a polynomial-time reduction from every problem in *NP* to **p**.
 - $p \in NP$
- A problem **p** is *NP-Hard* if
 - there is a polynomial-time reduction from every problem in *NP* to **p**.

The SAT Problem: an example


- Consider the boolean expression:
$$C = (a \vee \neg b \vee c) \wedge (\neg a \vee d \vee \neg e) \wedge (a \vee \neg d \vee \neg c)$$
- Is C satisfiable?
- Does there exist a True/False assignments to the boolean variables a, b, c, d, e , such that C is True?
- Set $a = \text{True}$ and $d = \text{True}$. The others can be set arbitrarily, and C will be true.
- If C has 40,000 variables and 4 million clauses, then it becomes hard to test this.
- If there are n boolean variables, then there are 2^n different truth value assignments.
- However, a solution can be quickly verified!

The SAT (Satisfiability) Problem

- **Input:** Boolean expression **C** in Conjunctive normal form (CNF) in **n** variables and **m** clauses.
- **Question:** Is **C** satisfiable?
 - Let $C = C_1 \wedge C_2 \wedge \dots \wedge C_m$
 - Where each $C_i = (y_1 \vee y_2 \vee \dots \vee y_k)$
 - And each $y_j \in \{x_1, \neg x_1, x_2, \neg x_2, \dots, x_n, \neg x_n\}$
 - We want to know if there exists a truth assignment to all the variables in the boolean expression **C** that makes it true.
- **Steve Cook** showed that the problem of deciding whether a non-deterministic Turing machine **T** accepts an input **w** or not can be written as a boolean expression C_T for a SAT problem. The boolean expression will have length bounded by a polynomial in the size of **T** and **w**.

- How to now prove Cook's theorem? Is SAT in NP ?
- Can every problem in NP be poly. reduced to it?

The problem classes and their relationships



More *NP-Complete* problems

3SAT

- **Input:** Boolean expression **C** in Conjunctive normal form (CNF) in **n** variables and **m** clauses. Each clause has at most three literals.
- **Question:** Is **C** satisfiable?
 - Let $C = C_1 \wedge C_2 \wedge \dots \wedge C_m$
 - Where each $C_i = (y_1 \vee y_2 \vee y_3)$
 - And each $y_j \in \{x_1, \neg x_1, x_2, \neg x_2, \dots, x_n, \neg x_n\}$
 - We want to know if there exists a truth assignment to all the variables in the boolean expression **C** that makes it true.

More *NP-Complete* problems?

2SAT

- **Input:** Boolean expression **C** in Conjunctive normal form (CNF) in **n** variables and **m** clauses. Each clause has at most three literals.
- **Question:** Is **C** satisfiable?
 - Let $C = C_1 \wedge C_2 \wedge \dots \wedge C_m$
 - Where each $C_i = (x_i^1 \vee x_i^2)$
 - And each $x_i^j \in \{x_1, \neg x_1, x_2, \neg x_2, \dots, x_n, \neg x_n\}$
 - We want to know if there exists a truth assignment to all the variables in the boolean expression **C** that makes it true.

3SAT is *NP-Complete*

- 3SAT is in *NP*.
- SAT can be reduced in polynomial time to 3SAT.
- This implies that every problem in *NP* can be reduced in polynomial time to 3SAT. Therefore, 3SAT is *NP-Complete*.
- So, we have to design an algorithm such that:
- Input: an instance C of SAT
- Output: an instance C' of 3SAT such that satisfiability is retained. In other words, C is satisfiable if and only if C' is satisfiable.

3SAT is *NP-Complete*

- ▶ Let C be an instance of SAT with clauses C_1, C_2, \dots, C_m
- ▶ Let C_i be a disjunction of $k > 3$ literals.

$$C_i = y_1 \vee y_2 \vee \dots \vee y_k$$

- ▶ Rewrite C_i as follows:

$$C'_i = (y_1 \vee y_2 \vee z_1) \wedge$$

$$(\neg z_1 \vee y_3 \vee z_2) \wedge$$

$$(\neg z_2 \vee y_4 \vee z_3) \wedge$$

$$\dots$$

$$(\neg z_{k-3} \vee y_{k-1} \vee y_k)$$

- ▶ Claim: C_i is satisfiable if and only if C'_i is satisfiable.

2SAT is in \mathcal{P}

- If there is only one literal in a clause, it must be set to true.
- If there are two literals in some clause, and if one of them is set to false, then the other must be set to true.
- Using these constraints, it is possible to check if there is some inconsistency.
- How? Homework problem!

The CLIQUE Problem

- A **clique** is a completely connected subgraph.





Figure 22.10 The articulation points, bridges, and biconnected components of a connected, undirected graph for use in Problem 22-2. The articulation points are the heavily shaded vertices, the bridges are the heavily shaded edges, and the biconnected components are the edges in the shaded regions, with a *bcc* numbering shown.

CLIQUE

- **Input:** Graph $G(V,E)$ and integer k
- **Question:** Does G have a clique of size k ?

CLIQUE is *NP-Complete*

- CLIQUE is in *NP*.
- Reduce 3SAT to CLIQUE in polynomial time.
- $F = (x_1 \vee \neg x_2 \vee x_3) (\neg x_1 \vee \neg x_3 \vee x_4) (x_2 \vee x_3 \vee \neg x_4) (\neg x_1 \vee \neg x_2 \vee x_3)$





F is satisfiable if and only if G has a clique of size k where k is the number of clauses in F .

Vertex Cover

A **vertex cover** is a set of vertices that “covers” all the edges of the graph.

Examples




Vertex Cover (VC)

Input: Graph G , integer k

Question: Does G contain a **vertex cover** of size k ?

- VC is in *NP*.
- polynomial-time reduction from CLIQUE to VC.
- Thus VC is *NP-Complete*.



Claim: G' has a clique of size k' if and only if G has a VC of size $k = n - k'$

Hamiltonian Cycle Problem (HCP)

Input: Graph G

Question: Does G contain a **hamiltonian** cycle?

- ➔ HCP is in *NP*.
- ➔ There exists a polynomial-time reduction from 3SAT to HCP.
- ➔ Thus HCP is *NP-Complete*.
- ➔ Notes/animations by a former student, Yi Ge!
- ➔ <https://users.cs.fiu.edu/~giri/teach/UoM/7713/f98/yige/yi12.html>