

Problem 5: LEARNING QUESTION

- **Input:** model structure M , Training Sequence S
- **Output:** Compute the parameters Θ
- **Criteria:** ML criterion
 - maximize $P(S | M, \Theta)$ HOW???

Problem 6: DESIGN QUESTION

- **Input:** Training Sequence S
- **Output:** Choose model structure M , and compute the parameters Θ
 - No reasonable solution
 - Standard models to pick from


Iterative Solution to the **LEARNING QUESTION** (Problem 5)

- Pick initial values for parameters Θ_0
- Repeat
 - Run training set S on model M
 - Count # of times transition $i \Rightarrow j$ is made
 - Count # of times letter x is emitted from state i
 - Update parameters Θ
- Until (some stopping condition)

How to model Pairwise Sequence Alignment

LEAPVE

LAPVIE




Pair HMMs


- Emit pairs of symbols
- Emission probs?
- Related to Sub. Matrices

- How to deal with InDels?
- Global Alignment? Local?
- Related to Sub. Matrices

How to model Pairwise Local Alignments?




How to model Pairwise Local Alignments with gaps?




Profile HMMs

Location in Seq.	Sequence						Protein Name
	1	2	3	4	5	6	
14	G	V	S	A	S	A	Ka RbtR
32	G	V	S	E	M	T	Ec DeoR
33	G	V	S	P	G	T	Ec RpoD
76	G	A	G	I	A	T	Ec TrpR
178	G	C	S	R	E	T	Ec CAP
205	C	L	S	P	S	R	Ec AraC
210	C	L	S	P	S	R	St AraC
13	G	V	N	K	E	T	Br MerR




Profile HMMs with InDels

- Insertions
- Deletions
- Insertions & Deletions




Profile HMMs with InDels



Missing transitions from **DELETE j** to **INSERT j** and
from **INSERT j** to **DELETE $j+1$** .


Standard HMM architectures

Linear Architecture




Standard HMM architectures

Loop Architecture



Standard HMM architectures

Wheel Architecture



Profile HMMs from Multiple Alignments

HBA_HUMAN	VGA--HAGEY
HBB_HUMAN	V-----NVDEV
MYG_PHYCA	VEA--DVAGH
GLB3_CHITP	VKG-----D
GLB5_PETMA	VYS--TYETS
LGB2_LUPLU	FNA--NIPKH
GLB1_GLYDI	IAGADNGAGV

Construct Profile HMM from above multiple alignment.

Entropy

- **Entropy** measures the variability observed in given data.

$$E = -\sum_c p_c \log p_c$$

- Entropy is useful in multiple alignments & profiles.
- Entropy is max when uncertainty is max.

G-Protein Couple Receptors

- Transmembrane proteins with 7 α -helices and 6 loops; many subfamilies
- Highly variable: 200-1200 aa in length, some have only 20% identity.
- [Baldi & Chauvin, '94] HMM for GPCRs
- HMM constructed with 430 match states (avg length of sequences) ; Training: with 142 sequences, 12 iterations

GPCR - Analysis


- Compute main state entropy values

$$H_i = -\sum_a e_{ia} \log e_{ia}$$

- For every sequence from test set (142) & random set (1600) & all SWISS-PROT proteins
 - Compute the negative log of probability of the most probable path π

$$\text{Score}(S) = -\log(P(\pi | S, M))$$

GPCR Analysis



Entropy




Figure 8.1: Entropy Profile of the Emission Probability Distributions Associated with the Main States of the HMM After 12 Cycles of Training.

GPCR Analysis (Cont'd)




Figure 8.2: Scores (Negative Log-likelihoods of Optimal Viterbi Paths). Represented sequences consist of 142 GPCR training sequences, all sequences from the SWISS-PROT database of length less than or equal to 2000, and 220 randomly generated sequences with same average composition as the GPCRs of length 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800 (20 at each length). The regression line was obtained from the 220 random sequences. The horizontal distances in the histogram correspond to normalized scores (6).

Applications of HMM for GPCR

- Bacteriorhodopsin
 - Transmembrane protein with 7 domains
 - But it is not a GPCR
 - Compute score and discover that it is close to the regression line. **Hence not a GPCR.**
- Thyrotropin receptor precursors
 - All have long initial loop on **INSERT STATE 20.**
 - Also clustering possible based on distance to regression line.

HMMs – Advantages

- Sound statistical foundations
- Efficient learning algorithms
- Consistent treatment for insert/delete penalties for alignments in the form of locally learnable probabilities
- Capable of handling inputs of variable length
- Can be built in a modular & hierarchical fashion; can be combined into libraries.
- Wide variety of applications: **Multiple Alignment, Data mining & classification, Structural Analysis, Pattern discovery, Gene prediction.**

HMMs – Disadvantages

- Large # of parameters.
- Cannot express dependencies & correlations between hidden states.