

# Exam questions

Mark Allen Weiss  
School of Computer Science  
Florida International University  
University Park  
Miami, FL 33199

## Abstract

This report contains a collection of multiple-choice questions, organized by book chapter that can be used for examinations.<sup>1</sup> Answers are provided at the end. This report was typeset in L<sup>A</sup>T<sub>E</sub>X. Original source is available.

## Chapter 1

1. What is the approximate value of  $\log 1,000,000$ ?
  - (a) 10
  - (b) 20
  - (c) 50
  - (d) 1000
  - (e) none of the above
2. If  $\log n$  equals 100, what is the value of  $\log(2n)$ ?
  - (a) 101
  - (b) 200
  - (c) 1000
  - (d) 10000
  - (e) none of the above
3. When performing a proof by induction, which is the case that is trivially true?
  - (a) the basis
  - (b) the inductive hypothesis
  - (c) the lemma
  - (d) the theorem
  - (e) none of the above

---

<sup>1</sup>Many of these questions appear in different form in the *Instructor's Resource Manual for Algorithms, Data Structures, and Problem Solving with C++*, published by Addison-Wesley, 1996.

4. The following routine violates which rule(s) of recursion?

```
function Recurse( N : Integer ) return Integer is
begin
  if N = 0 then
    return 0;
  else
    return N + Recurse( N / 2 ) + Recurse( N / 2 + 1 );
  end if;
end Recurse;
```

- (a) No base case
  - (b) Fails to make progress
  - (c) Performs redundant work
  - (d) Two of the above
  - (e) All of (a), (b), and (c)
5. Which of the following is the most likely result of failing to make progress towards a base case in a recursive call?
- (a) compiler enters into an infinite loop
  - (b) error at compilation time
  - (c) exception is raised at run time
  - (d) recursive routine enters an infinite loop when it runs
  - (e) recursive routine terminates with bad value but no other error

Answers: 1-B, 2-A, 3-A, 4-D, 5-C.

## Chapter 2

1. Which of the following functions grows fastest?

- (a)  $n \log n$
- (b)  $2^n$
- (c)  $\log n$
- (d)  $n^2$
- (e)  $n^{20}$

2. Which of the following functions grows fastest?

- (a)  $n + \log n$
- (b)  $n \log n$
- (c)  $n - \log n$
- (d)  $n$
- (e) There is a tie among two or more functions for fastest growth rate

The next three questions apply to the following code fragment:

```
1   for i in 1..N loop
2       for j in 1..i loop
3           for k in i..j loop
4               Sum := Sum + 1;
5           end loop;
6       end loop;
7   end loop;
8   for p in 1..N*N loop
9       for q in 1..p loop
10          Sum := Sum - 1;
11      end loop;
12  end loop;
```

3. How many times is statement 4 executed?
  - (a)  $O(N)$
  - (b)  $O(N^2)$
  - (c)  $O(N^3)$
  - (d)  $O(N^4)$
  - (e) none of the above
4. How many times is statement 10 executed?
  - (a)  $O(N)$
  - (b)  $O(N^2)$
  - (c)  $O(N^3)$
  - (d)  $O(N^4)$
  - (e) none of the above
5. What is the running time of the fragment?
  - (a)  $O(N^4)$
  - (b)  $O(N^5)$
  - (c)  $O(N^6)$
  - (d)  $O(N^7)$
  - (e) none of the above
6. Suppose  $T_1(n) = O(F(n))$  and  $T_2(n) = O(F(n))$ . Which of the following are true?
  - (a)  $T_1(n) + T_2(n) = O(F(n))$
  - (b)  $T_1(n) * T_2(n) = O(F(n))$
  - (c)  $T_1(n)/T_2(n) = O(1)$
  - (d)  $T_1(n) = O(T_2(n))$
  - (e) none of the above

7. Programs  $A$  and  $B$  are analyzed and found to have worst-case running times no greater than  $150n \log n$  and  $n^2$ , respectively. Which of the following statements does the analysis imply?
- (a) Program  $A$  will run faster on average for sufficiently large  $n$ .
  - (b) Program  $B$  will run faster on average for small  $n$ .
  - (c) Program  $A$  is probably simpler to code than program  $B$ .
  - (d) There exists some input for which program  $B$  takes longer than program  $A$ .
  - (e) none of the above
8. An algorithm takes 10 seconds for an input size of 50. If the algorithm is quadratic, approximately how long does it take to solve a problem of size 100?
- (a) 10 seconds
  - (b) 20 seconds
  - (c) 40 seconds
  - (d) 100 seconds
  - (e) none of the above
9. An algorithm takes 30 seconds for an input of size 1000. If the algorithm is quadratic, how large a problem can be solved in two minutes?
- (a) 2000
  - (b) 4000
  - (c) 6000
  - (d) 60000
  - (e) none of the above
10. An algorithm takes 6 seconds to solve a problem of size 100 and ten minutes to solve a problem of size 1000. What is the likely running time of the algorithm?
- (a) constant
  - (b) linear
  - (c) quadratic
  - (d) cubic
  - (e) none of the above
11. Which of (a) to (d) is false about the binary search?
- (a) the input array must be sorted
  - (b) successful searches take logarithmic time on average
  - (c) unsuccessful searches take logarithmic time on average
  - (d) the worst case for any search is logarithmic
  - (e) all of the above are true
12. Which of the following can be done in  $O(\log n)$  arithmetic operations?

- (a) Raising a number to the  $n$ th power
  - (b) Computing the greatest common divisor of some integer and  $n$
  - (c) Adding two  $n$ -digit numbers
  - (d) Two of the above
  - (e) All of (a), (b), and (c)
13. A recursive algorithm works by solving two half-sized problems recursively, with an additional linear-time overhead. The total running time is most accurately given by
- (a)  $O(\log n)$
  - (b)  $O(n)$
  - (c)  $O(n \log n)$
  - (d)  $O(n^2)$
  - (e) none of the above
14. The solution to  $T(n) = T(\lfloor 3n/4 \rfloor) + 10$  with  $T(0) = 0$  is most accurately given by
- (a)  $O(\log n)$
  - (b)  $O(n)$
  - (c)  $O(n \log n)$
  - (d)  $O(n^2)$
  - (e) none of the above
15. Approximately how many random numbers are using in the permutation generation algorithm in Exercise 2.7.c?
- (a) 1
  - (b)  $\log n$
  - (c)  $n$
  - (d)  $n \log n$
  - (e) none of the above
16. What is the running time of the following routine?

```

// Check if N is prime
function Is_Prime( N : Integer ) return Boolean is
  I : Integer := 3;
begin
  if N = 2 or else N = 3 then
    return TRUE;
  end if;
  if N MOD 2 = 0 then
    return FALSE;
  end if;
  while i * i <= N loop
    if N MOD i = 0 then

```

```

        return FALSE;
    else
        I := I + 2;
    end if;
end loop;
return TRUE;
end Is_Prime;

```

- (a) constant time
- (b)  $O(\log N)$
- (c)  $O(N)$
- (d)  $O(\sqrt{N})$
- (e) none of the above

Answers: 1-B, 2-B, 3-C, 4-D, 5-A, 6-A, 7-E, 8-C, 9-A, 10-C, 11-E, 12-D, 13-C, 14-A, 15-C, 16-D.

## Chapter 3

1. Which of the following operations is not efficiently supported by a singly-linked list?
  - (a) accessing the element in the current position
  - (b) insertion after the current position
  - (c) insertion before the current position
  - (d) moving to the position immediately following the current position
  - (e) all of the above are efficiently supported
2. Which statement, placed in the list package implementation, inserts an item X after position Current?
  - (a) `Current := new Node'( X, Current );`
  - (b) `Current := new Node'( X, Current.Next );`
  - (c) `Current.Next := new Node'( X, Current );`
  - (d) `Current.Next := new Node'( X, Current.Next );`
  - (e) none of the above
3. The header node of a linked list
  - (a) simplifies deletion
  - (b) simplifies insertion
  - (c) uses only constant extra space
  - (d) two of the above
  - (e) all three of (a), (b), and (c)
4. If a header node is used, which of the following indicates a list L with one item?
  - (a) `L.Header.Next = null`

- (b) `L.Header.Next != null`
  - (c) `L.Header.Next != null` and then `L.Header.Next.Next != null`
  - (d) `L.Header.Next != null` and then `L.Header.Next.Next = null`
  - (e) none of the above
5. Insertion of a node into a doubly linked list requires how many changes to various `Next` and `Prev` pointers?
- (a) no changes
  - (b) 1 `Next`, 1 `Prev`
  - (c) 2 `Next`, 2 `Prev`
  - (d) 3 `Next`, 3 `Prev`
  - (e) none of the above
6. What operation is supported in constant time by the doubly linked list, but not by the singly linked list?
- (a) Advance
  - (b) Backup
  - (c) First
  - (d) Retrieve
  - (e) all of the above are always constant time
7. The UNIX editor *vi* allows searching in both directions, with wraparound if necessary. If the sequence of lines is stored as a linked list, which of the following is most reasonable?
- (a) singly linked list
  - (b) doubly linked list
  - (c) circular singly linked list
  - (d) circular doubly linked list
  - (e) none of the above
8. What happens when wraparound is implemented for a queue?
- (a) If `Front` advances past the last array position, it is reset to the first array position.
  - (b) If `Rear` advances past the last array position, it is reset to the first array position.
  - (c) Both (a) and (b)
  - (d) Neither (a) nor (b)
9. Using the text implementation, if `Front` and `Rear` have identical values, what is the size of the queue?
- (a) 0
  - (b) 1
  - (c) 2
  - (d) the answer cannot be determined

- (e) none of the above
10. For the linked list implementation of the stack, where are the pushes and pops performed?
    - (a) Push in front of the first element, pop the first element
    - (b) Push after the last element, pop the last element
    - (c) Push after the last element, pop the first element
    - (d) Push in front of the first element, pop the last element
    - (e) Push after the first element, pop the first element
  11. For the linked list implementation of the queue, where are the enqueue and dequeues performed?
    - (a) Enqueue in front of the first element, dequeue the first element
    - (b) Enqueue after the last element, dequeue the last element
    - (c) Enqueue after the last element, dequeue the first element
    - (d) Enqueue in front of the first element, dequeue the last element
    - (e) Enqueue after the first element, dequeue the first element
  12. For the linked list implementation, if the stack is not empty, which of the following statements in a main procedure can be used to access the top element in the stack S?
    - (a) S.Element
    - (b) S.TopOfStack
    - (c) S.TopOfStack.Element
    - (d) TopOfStack.Element
    - (e) none of the above

Answers: 1-C, 2-D, 3-E, 4-D, 5-C, 6-B, 7-D, 8-C, 9-B, 10-A, 11-C, 12-E.

## Chapter 4

1. Which of the following traversals requires more than linear time in the worst case?
  - (a) inorder
  - (b) level order
  - (c) postorder
  - (d) preorder
  - (e) all of these traversals are linear time
2. In which of the following traversals is the node processed before the recursive calls to the children complete?
  - (a) inorder
  - (b) level order
  - (c) postorder



- (d) preorder
  - (e) none of the above
3. What is the maximum number of nodes in a binary tree with  $L$  leaves?
- (a)  $2L$
  - (b)  $2^L$
  - (c)  $2^{L+1}$
  - (d) there is no maximum
  - (e) none of the above
4. Which of the following is true about the height of a node?
- (a) The height of a node is one less than the height of its parent
  - (b) The height of an empty tree is 0
  - (c) The height of a leaf is 0
  - (d) The height of a tree can be larger than its depth
  - (e) all of the above are false
5. The first child / next sibling implementation
- (a) allows easy access to the parent
  - (b) is appropriate for binary trees
  - (c) uses  $C$  pointers per node, where  $C$  is the number of children
  - (d) all of the above
  - (e) none of (a), (b), and (c)
6. Which traversal computes the total size of each directory in the UNIX file system?
- (a) inorder
  - (b) level order
  - (c) postorder
  - (d) preorder
  - (e) two or more of the above traversals could be used
7. Let  $C(X)$  be the number of leaves in a binary tree rooted at  $T$ . Assume that  $\text{IsLeaf}(T)$  returns 1 if  $T$  is a leaf. Which of the following observations leads to a recursive implementation?
- (a)  $C(T) := C(T.\text{Left}) + C(T.\text{Right})$
  - (b)  $C(T) := C(T.\text{Left}) + C(T.\text{Right}) + 1$
  - (c)  $C(T) := C(T.\text{Left}) + C(T.\text{Right}) + \text{IsLeaf}(T)$
  - (d)  $C(T) := C(T.\text{Left}) + C(T.\text{Right}) + \text{IsLeaf}(T) + 1$
  - (e) none of the above
8. Which traversal does not use a stack?

- (a) inorder
- (b) level order
- (c) postorder
- (d) preorder
- (e) all of these traversals uses a stack

9. How many  $n$  node binary trees with items 1, 2, ...,  $n$  have identical postorder and inorder traversals?

- (a) 0
- (b) 1
- (c)  $n$
- (d)  $n!$
- (e) none of the above

*The next three questions relate to the binary tree with root A. The root has left child B and right child C. B has left child D and right child E. There are no other nodes in the tree.*

10. Which of the following traversals yields ABCDE?

- (a) inorder
- (b) level order
- (c) postorder
- (d) preorder
- (e) two of the above

11. Which of the following is an inorder traversal of the tree?

- (a) ABCDE
- (b) ABDEC
- (c) DBEAC
- (d) DEBAC
- (e) none of the above

12. The height of the tree is

- (a) 0
- (b) 1
- (c) 2
- (d) 3
- (e) none of the above

13. Approximately what is the maximum height of a binary search tree of  $n$  nodes?

- (a)  $\log n$
- (b)  $1.38 \log n$

- (c)  $1.44 \log n$
  - (d)  $2 \log n$
  - (e) none of the above
14. The following items are inserted into a binary search tree: 8, 3, 4, 9, 5, 6, 2, 1, 7. Which item is placed at a root?
- (a) 1
  - (b) 4
  - (c) 8
  - (d) 9
  - (e) none of the above
15. The following items are inserted into a binary search tree: 3, 6, 5, 2, 4, 7, 1. Which node is the deepest?
- (a) 1
  - (b) 3
  - (c) 4
  - (d) 7
  - (e) none of the above
16. Which of the following statements is true about deleting the root of a binary search tree?
- (a) the root pointer always changes
  - (b) the root pointer changes if it does not have two children
  - (c) if the root has two children, its item is replaced by the largest element in the right subtree
  - (d) all of the above
  - (e) none of (a), (b), and (c)
17. For an insertion of a single item into an  $n$ -item AVL tree, the maximum number of rotations (double rotations count as one rotation) is
- (a) 1
  - (b) 2
  - (c) approximately  $\log n$
  - (d) approximately  $1.44 \log n$
  - (e) none of the above
18. The following items are inserted into an AVL tree: 1, 2, 3, 8, 6. How many rotations are performed?
- (a) no rotations
  - (b) 1 single rotation only
  - (c) 1 double rotation only

- (d) 1 single rotation and 1 double rotation
  - (e) none of the above
19. Items 7, 3, 11, 9, and 13 are inserted into an AVL tree. What happens when 12 is inserted?
- (a) no rotation is needed
  - (b) a single rotation between some node and its left child is performed
  - (c) a single rotation between some node and its right child is performed
  - (d) a double rotation with a node, its left child, and a third node is performed
  - (e) a double rotation with a node, its right child, and a third node is performed
20. Which of the following data structures has the strongest height guarantee?
- (a) AVL tree
  - (b) B-tree of order 3
  - (c) B-tree of order 5
  - (d) splay tree
  - (e) 2-3 tree
21. Suppose a disk block stores 4096 bytes and the basic key size is 96 bytes. Assuming that pointers cost 4 bytes, what is the correct choice of  $M$  for a B-tree?
- (a) 41
  - (b) 42
  - (c) 43
  - (d) 96
  - (e) none of the above
22. In addition to the data and left and right pointers, for **any** implementation, what must be stored in each node of a splay tree?
- (a) the node's height
  - (b) the node's level
  - (c) the node's parent
  - (d) the node's rank
  - (e) none of the above
23. What is amortized cost of an operation using rotate-to-root?
- (a)  $O(1)$
  - (b)  $O(\log n)$
  - (c)  $O(n)$
  - (d)  $O(n \log n)$
  - (e) none of the above

24. An access of a splay tree of  $n$  nodes results in a completely identical tree. For how many different nodes would this be possible?
- (a) 0
  - (b) 1
  - (c) 2
  - (d)  $n - 1$
  - (e) none of the above
25. What is the worst-case height of a splay tree?
- (a)  $\log n$
  - (b)  $1.38 \log n$
  - (c)  $2 \log n$
  - (d)  $n - 1$
  - (e)  $n$
26. Which of the statements (a) to (d) about splay trees is false?
- (a) a single access operation could examine every node in the tree
  - (b) any  $n$  consecutive operations from an initially empty splay tree must take at most  $O(n \log n)$  time
  - (c) inserting the items 1, 2, ...,  $n$  into an initially empty splay tree takes  $O(n)$  total time.
  - (d) the most recently accessed item is at the root
  - (e) none of (a) to (d) is false
27. Which of the following splay tree rotations in effect distinguishes it from rotate-to-root?
- (a) zig only
  - (b) zig-zag only
  - (c) zig-zig only
  - (d) zig-zig and zig-zag only
  - (e) all of the above
28. What item is at the root after the following sequence of insertions into an empty splay tree: 1, 11, 3, 10, 8, 4, 6, 5, 7, 9, 2?
- (a) 1
  - (b) 2
  - (c) 4
  - (d) 8
  - (e) none of the above
29. How is deletion performed in a splay tree?
- (a) If the node is found, it is replaced with the smallest node in its right subtree, which itself is recursively deleted.

- (b) If the node is found, it is replaced with the largest node in its left subtree, which itself is recursively deleted.
  - (c) A single splay is performed which places the deleted node in a leaf; that node is then easily removed
  - (d) A single splay is performed which places the deleted node at the root; it is deleted and the two subtrees are reattached by using a second splay
  - (e) none of the above
30. In a splay tree, how is the rank of a node stored?
- (a) an extra array stores the information
  - (b) a linked list stores the information
  - (c) directly, in each node
  - (d) indirectly, by storing the size in each node
  - (e) the rank is not stored at all
31. Which of the following alternatives preserves the logarithmic amortized time bound for the splay tree?
- (a) do not splay on unsuccessful searches
  - (b) do not splay if an access path has fewer than  $\log n$  nodes
  - (c) replace the zig-zig with two single bottom-up rotations
  - (d) splay on every other access
  - (e) none of the above

Answers: 1-E, 2-D, 3-D, 4-C, 5-E, 6-C, 7-C, 8-B, 9-B, 10-B, 11-C, 12-C, 13-E, 14-C, 15-C, 16-B, 17-A, 18-D, 19-C, 20-C, 21-A, 22-E, 23-C, 24-B, 25-D, 26-E, 27-C, 28-B, 29-D, 30-E, 31-B.

## Chapter 5

1. Which of the following data structures requires more than constant average time for insertions?
  - (a) hash table
  - (b) queue
  - (c) search tree
  - (d) stack
  - (e) all of the above have constant time insertion algorithms
2. What is the range of values computed by the hash function  $Hash(X) = X \bmod 100$ ?
  - (a) 0 to 99
  - (b) 0 to 100
  - (c) 1 to 99
  - (d) 1 to 100

- (e) none of the above
3. Which of (a) to (d) is false: The size of a hash table
- (a) should be a power of 2 for quadratic probing
  - (b) should be a prime number for linear probing
  - (c) should be about  $2n$  for quadratic probing
  - (d) should be about  $n$  for separate chaining
  - (e) two or more of the above are false
4. How are elements deleted in linear probing?
- (a) deletion is not allowed
  - (b) they are changed to zero
  - (c) they are marked deleted
  - (d) unchecked deallocation
  - (e) none of the above
5. Suppose we are implementing quadratic probing with a hash function  $Hash(X) = X \bmod 100$ . If an element with key 4594 is inserted and the first three locations attempted are already occupied, then the next cell that will be tried is
- (a) 2
  - (b) 3
  - (c) 9
  - (d) 97
  - (e) none of the above
6. In a separate chaining hash table with load factor  $\lambda = 0.8$ , what is the average length of a list?
- (a) 0.8
  - (b) 1.0
  - (c) 1.25
  - (d) there is not enough information
  - (e) there is enough information, but none of the above are correct
7. Which of the following costs are equal in a probing hash table?
- (a) insertion and successful search
  - (b) insertion and unsuccessful search
  - (c) successful search and unsuccessful search
  - (d) insertion, successful search, and unsuccessful search
  - (e) none of the above

8. Which of the following statements about quadratic probing is true (expensive does not include trivial operations such as multiplication or division by powers of 2; computation of the hash function is not included in the cost)?
- (a) an expensive division must be performed
  - (b) an expensive mod operator must be performed
  - (c) an expensive multiplication must be performed
  - (d) all of the above
  - (e) none of (a), (b), and (c)
9. Linked lists are used in
- (a) double hashing
  - (b) linear probing
  - (c) quadratic probing
  - (d) separate chaining
  - (e) all of the above
10. *Primary clustering* occurs in
- (a) linear probing
  - (b) quadratic probing
  - (c) separate chaining
  - (d) all of the above
  - (e) none of (a), (b), and (c)
11. *Rehashing* can be used in
- (a) linear probing
  - (b) quadratic probing
  - (c) separate chaining
  - (d) all of the above
  - (e) none of (a), (b), and (c)

Answers: 1-C, 2-A, 3-A, 4-C, 5-B, 6-A, 7-B, 8-E, 9-D, 10-A, 11-D.

## Chapter 6

1. Every node in a (min) binary heap
- (a) has two children
  - (b) is no larger than its children
  - (c) is no smaller than its children
  - (d) has a smaller left child than right child
  - (e) two or more of the above



2. If an element in a binary heap is stored in position  $i$  and the root is at position 1, then where is the parent stored?
- (a)  $\lfloor i/2 \rfloor$
  - (b)  $\lceil i/2 \rceil$
  - (c)  $1 + \lfloor i/2 \rfloor$
  - (d)  $2i$
  - (e)  $2i + 1$
3. The running time of Build\_Heap is
- (a)  $O(n)$  worst case and  $O(n)$  average case
  - (b)  $O(n)$  worst case and  $O(\log n)$  average case
  - (c)  $O(n)$  worst case and  $O(n \log n)$  average case
  - (d)  $O(n \log n)$  worst case and  $O(n)$  average case
  - (e)  $O(n \log n)$  worst case and  $O(n \log n)$  average case
4.  $n$  elements are inserted one by one into an initially empty binary heap. The total running time is
- (a)  $O(n)$  worst case and  $O(n)$  average case
  - (b)  $O(n)$  worst case and  $O(\log n)$  average case
  - (c)  $O(n)$  worst case and  $O(n \log n)$  average case
  - (d)  $O(n \log n)$  worst case and  $O(n)$  average case
  - (e)  $O(n \log n)$  worst case and  $O(n \log n)$  average case
5. Which operation is not supported in constant time by a double-ended queue (deque)?
- (a) Insertion as the front or rear item
  - (b) Access of the front or rear item
  - (c) Deletion of the front or rear item
  - (d) Access and deletion of the minimum item
  - (e) all of the above are supported
6. Which operation is not efficiently supported by priority queues?
- (a) Delete\_Min
  - (b) Find
  - (c) Find\_Min
  - (d) Insert
  - (e) All of the above are efficiently supported
7. Which data structure is used to check for balanced parentheses?
- (a) binary search tree
  - (b) hash table

- (c) priority queue
  - (d) queue
  - (e) stack
8. Jobs sent to a printer are generally placed on a
- (a) binary search tree
  - (b) hash table
  - (c) priority queue
  - (d) queue
  - (e) stack
9. Which data structure is generally used to implement a symbol table?
- (a) binary search tree
  - (b) hash table
  - (c) priority queue
  - (d) queue
  - (e) stack
10. Which data structure maintains the event set in an event-driven (discrete-event) simulation?
- (a) binary search tree
  - (b) hash table
  - (c) priority queue
  - (d) queue
  - (e) stack
11. Which of the following could be used as an efficient priority queue?
- (a) binary search tree
  - (b) hash table
  - (c) linked list
  - (d) queue
  - (e) stack
12. Which of the following does the binary heap implement?
- (a) binary search tree
  - (b) hash table
  - (c) priority queue
  - (d) queue
  - (e) stack
13. 6, 8, 4, 3, and 1 are inserted into a data structure in that order. An item is deleted using only a basic data structure operation. If the deleted item is a 1, the data structure cannot be a

- (a) hash table
  - (b) priority queue
  - (c) queue
  - (d) search tree
  - (e) stack
14. Which data structure is used by the compiler to implement recursion?
- (a) hash table
  - (b) priority queue
  - (c) queue
  - (d) search tree
  - (e) stack
15. Which of the following data structures uses a sentinel?
- (a) binary heap
  - (b) hash table
  - (c) queue
  - (d) stack
  - (e) none of the above use sentinels
16. A node with key 8 has a left child with key 10. Which of the following objects could this node be found in?
- (a) binary search tree
  - (b) max heap
  - (c) min heap
  - (d) two of the above
  - (e) none of (a), (b), and (c)
17. *Percolate up* and *down* are used for
- (a) AVL trees
  - (b) B-trees
  - (c) circular queue
  - (d) binary heaps
  - (e) none of the above
18. Which of the following is true about the skew heap?
- (a) it is balanced
  - (b) each node stores nothing besides an item and two pointers
  - (c) the right path contains at most a logarithmic number of nodes
  - (d) two of the above

- (e) all of (a), (b), and (c)
19. Which of the four operations below can be used to implement the other three for the skew heap?
- (a) Decrease\_Key
  - (b) Delete\_Min
  - (c) Insert
  - (d) Merge
  - (e) none of the above
20. Which of the following is not a binary tree?
- (a) binary heap
  - (b) binomial queue
  - (c) skew heap
  - (d) splay tree
  - (e) all of the above are binary trees

Answers: 1-B, 2-A, 3-A, 4-D, 5-D, 6-B, 7-E, 8-D, 9-B, 10-C, 11-A, 12-C, 13-C, 14-E, 15-A, 16-C, 17-D, 18-B, 19-D, 20-B.

## Chapter 7

1. What is the basic algorithm used for external sorting?
- (a) finding the median
  - (b) merging
  - (c) selection
  - (d) all of the above
  - (e) none of (a), (b), and (c)
2. Which of the following data structures does not yield an efficient comparison-based sort?
- (a) AVL tree
  - (b) hash table
  - (c) priority queue
  - (d) all can be used for efficient sorting
  - (e) none can be used for efficient sorting
3. Which of the following algorithms requires the most extra space, on average, when implemented as in the text?
- (a) heapsort
  - (b) insertion sort
  - (c) mergesort

- (d) quicksort
  - (e) shellsort
4. Which of the following is the strongest lower bound for sorting when ordering information is obtained only by *adjacent comparisons*?
- (a)  $O(n \log n)$
  - (b)  $O(n^2)$
  - (c)  $\Omega(n \log n)$
  - (d)  $\Omega(n^2)$
  - (e) none of the above is a valid lower bound for this problem
5. Which of the following algorithms runs in quadratic average time?
- (a) heapsort
  - (b) insertion sort
  - (c) mergesort
  - (d) quicksort
  - (e) shellsort
6. Which of the following algorithms runs in  $O(n \log n)$  average time but quadratic worst-case time?
- (a) heapsort
  - (b) insertion sort
  - (c) mergesort
  - (d) quicksort
  - (e) shellsort
7. Which of the following algorithms, implemented as in the text, runs in  $O(n)$  time when presented with an array of  $n$  identical elements?
- (a) heapsort
  - (b) insertion sort
  - (c) mergesort
  - (d) quicksort
  - (e) shellsort
8. Which of the following algorithms has the largest big-Oh differential between average-case and worst-case performance?
- (a) heapsort
  - (b) insertion sort
  - (c) mergesort
  - (d) quicksort
  - (e) quickselect

9. How much extra space is used by heapsort?
- (a)  $O(1)$
  - (b)  $O(\log n)$
  - (c)  $O(n)$
  - (d)  $O(n^2)$
  - (e) none of the above
10. Which sorting algorithm has the same average and worst-case time bounds (in Big-Oh) as heapsort?
- (a) insertion sort
  - (b) mergesort
  - (c) quicksort
  - (d) shellsort
  - (e) none of the above
11. For quicksort, what do I and J do when they see keys equal to the pivot?
- (a) I stops, J stops
  - (b) I stops, J goes
  - (c) I goes, J stops
  - (d) I goes, J goes
  - (e) I and J alternate between stopping and going
12. In median-of-three partitioning, where is the pivot placed before partitioning begins?
- (a) at the start of the array
  - (b) at the middle of the array
  - (c) at the end of the array
  - (d) in a temporary variable
  - (e) none of the above
13. Which of the following statements about sorting five elements is the strongest statement that is directly implied by the information theoretic lower bound?
- (a) 6 comparisons are sufficient
  - (b) 6 comparisons are necessary and sufficient
  - (c) 7 comparisons are necessary
  - (d) 7 comparisons are sufficient
  - (e) 7 comparisons are necessary and sufficient
14. *Replacement selection* is
- (a) arranging the initial runs on the tape in an optimal way
  - (b) constructing the runs so they have expected length  $2M$

- (c) using  $K$ -way merging instead of 2-way merging
- (d) using  $K + 1$  tapes instead of  $K$  tapes
- (e) none of the above

Answers: 1-B, 2-B, 3-C, 4-D, 5-B, 6-D, 7-B, 8-E, 9-A, 10-B, 11-A, 12-E, 13-C, 14-B.

## Chapter 8

1. Which of the following trees can have height that is not logarithmic?
  - (a) AVL tree
  - (b) binary heap
  - (c) B-tree of order 4
  - (d) union/find tree, with union-by-height
  - (e) all of the above trees must have logarithmic depth
2. Which of the following properties is not required for an equivalence relation?
  - (a) reflexive
  - (b) symmetric
  - (c) transitive
  - (d) all of these properties are required
  - (e) none of these properties is required
3. Which of the following is an equivalence relationship?
  - (a)  $a R b$  if there is a path from  $a$  to  $b$  in a directed graph  $G$
  - (b)  $a R b$  if  $a$  and  $b$  are two people who know each other
  - (c)  $a R b$  if  $a$  and  $b$  end in the same two digits
  - (d) all of the above
  - (e) none of (a), (b), (c)
4. Which of the following, when performed by itself, is sufficient to ensure a bound of  $O(m \log n)$  for  $m$  operations?
  - (a) path compression
  - (b) union by height
  - (c) union by size
  - (d) all of the above
  - (e) none of (a), (b), and (c)
5. *Path compression* is
  - (a) performed during Unions to make Unions faster
  - (b) performed during Unions to make Finds faster

- (c) performed during Finds to make Finds faster
  - (d) performed during Finds to make Unions faster
  - (e) performed during Finds to make both Finds and Unions faster
6. What is the value of  $\log^*65536$ ?
- (a) 1
  - (b) 4
  - (c) 16
  - (d) 32
  - (e) none of the above

Answers: 1-E, 2-D, 3-C, 4-D, 5-C, 6-B.

## Chapter 9

1. Which of the following is a synonym for an edge?
  - (a) arc
  - (b) node
  - (c) path
  - (d) vertex
  - (e) none of the above
2. Which of the following problems is not known to be solvable in linear time?
  - (a) topological sort
  - (b) unweighted shortest path in general graphs
  - (c) weighted shortest path in acyclic graphs
  - (d) weighted shortest path in cyclic graphs
  - (e) all are solvable in linear time
3. Which of the following does not use a queue?
  - (a) negative weighted shortest path algorithm
  - (b) positive weighted shortest path algorithm
  - (c) topological sort
  - (d) unweighted shortest path algorithm
  - (e) all of the above use a queue
4. Which of the following algorithms solves the unweighted single source shortest path problem?
  - (a) breadth first search
  - (b) depth first search
  - (c) Dijkstra's algorithm



- (d) Kruskal's algorithm
  - (e) Prim's algorithm
5. Which of the following algorithms solves the positive weighted single source shortest path problem?
- (a) breadth first search
  - (b) depth first search
  - (c) Dijkstra's algorithm
  - (d) Kruskal's algorithm
  - (e) Prim's algorithm
6. In a graph with  $v$  vertices and  $e$  edges, which of the following maximum sizes is not correct for an unweighted shortest path computation?
- (a)  $v$  for the number of adjacency lists
  - (b)  $e$  for the total size of all adjacency lists
  - (c)  $e$  for the size of the hash table that maps names to internal numbers
  - (d)  $v$  for the size of the queue
  - (e) all of the above are correct
7. In a connected graph with no loops or multiple edges, which of the following inequalities is not correct? ( $v$  is the number of vertices,  $e$  is the number of edges)
- (a)  $e \leq v^2$
  - (b)  $e \geq v - 1$
  - (c)  $v \leq e^2 + 1$
  - (d)  $v \geq e/2$
  - (e) all of the above are correct
8. If the shortest path algorithm is run and a vertex is not reachable from the starting point, what happens?
- (a) a distance of infinity is reported
  - (b) a distance of -1 is reported
  - (c) a distance of zero is reported
  - (d) the algorithm enters an infinite loop
  - (e) the algorithm's results are undefined
9. For the weighted shortest path problem, let  $d_v$  be the cost of reaching the current vertex  $v$ , let  $w$  be adjacent to  $v$  and assume the edge cost is  $c_{v,w}$ . Suppose that  $d_w$  was the cost of reaching  $w$  prior to examining  $v$ . (Ties are broken in favor of the first path seen). Then under what circumstances is  $w$ 's distance lowered?
- (a)  $d_w > d_v$
  - (b)  $d_w > d_v + 1$

- (c)  $d_w > d_v + c_{v,w}$
- (d)  $d_v > d_w + c_{v,w}$
- (e) none of the above

10. Which of the following statements is true?

- (a) A topological ordering exists in every directed graph
- (b) Every acyclic graph has at least one topological ordering
- (c) Every acyclic graph has exactly one topological ordering
- (d) Every acyclic graph has at most one topological ordering
- (e) none of the above

*The next four questions refer to the following directed graph:  $V = \{V_0, V_1, V_2, V_3, V_4, V_5, V_6\}$ . There are the following twelve edges, with edge costs listed as the third item in the triplet:  $E = \{(V_0, V_2, 4), (V_1, V_0, 2), (V_1, V_3, 3), (V_3, V_0, 1), (V_3, V_2, 2), (V_3, V_5, 8), (V_3, V_6, 4), (V_4, V_1, 10), (V_4, V_3, 2), (V_4, V_6, 7), (V_5, V_2, 2), (V_6, V_5, 1)\}$ .*

11. The shortest weighted path from  $V_4$  to  $V_5$  has weight

- (a) 2
- (b) 4
- (c) 7
- (d) 8
- (e) none of the above

12. If the start vertex is  $V_4$ , then using the standard weighted shortest path algorithm, which is the last vertex to be declared known?

- (a)  $V_0$
- (b)  $V_1$
- (c)  $V_2$
- (d)  $V_4$
- (e) none of the above

13. If the start vertex is  $V_4$ , then using the acyclic weighted shortest path algorithm, which is the last vertex to be declared known?

- (a)  $V_0$
- (b)  $V_1$
- (c)  $V_2$
- (d) the graph is not acyclic, so the acyclic algorithm should not be used
- (e) none of the above

14. If the above graph were undirected, then what would be the cost of its minimum spanning tree?

- (a) 1

- (b) 10
  - (c) 11
  - (d) 12
  - (e) none of the above
15. Which algorithm is used to compute minimum spanning trees?
- (a) breadth first search
  - (b) depth first search
  - (c) Dijkstra's
  - (d) Kruskal's
  - (e) none of the above

Answers: 1-A, 2-D, 3-B, 4-A, 5-C, 6-C, 7-D, 8-A, 9-C, 10-B, 11-C, 12-B, 13-C, 14-B, 15-D.

## Chapter 10

1. Which of the following strategies do not directly invoke recursion?
- (a) backtracking
  - (b) divide and conquer
  - (c) dynamic programming
  - (d) two of the above do not directly invoke recursion
  - (e) none of (a), (b), and (c) directly invoke recursion
2. 10000 random integers are generated randomly with a uniform distribution over the range 1 to 10000 inclusive. Which of the following would indicate a poor generator?
- (a) the average of the numbers is about 4999
  - (b) each number appears exactly once
  - (c) no four consecutive numbers are all even
  - (d) two of the above
  - (e) all of (a), (b), and (c)
3. The *seed* of a linear congruential generator is
- (a) always zero
  - (b) occasionally zero, depending on other random events
  - (c) the initial value
  - (d) the multiplier
  - (e) the period of the generator
4. Which of the following is a bad case for randomized quickselect?
- (a) any input with  $K = 1$

- (b) reverse ordered input
  - (c) sorted input
  - (d) there are no bad inputs
  - (e) none of the above
5. If the randomized primality testing algorithm (with one iteration) declares that  $P$  is prime and  $C$  composite, then which of the following is most accurate?
- (a) There is at most a 25 percent chance that  $P$  has been declared prime falsely and there is at most a 25 percent chance that  $C$  has been declared composite falsely
  - (b)  $P$  is prime with 100 percent certainty but there is at most a 25 percent chance that  $C$  has been declared composite falsely
  - (c) There is at most a 25 percent chance that  $P$  has been declared prime falsely, but  $C$  is composite with at least 100 percent certainty
  - (d)  $P$  is prime with 100 percent certainty and  $C$  is composite with 100 percent certainty
  - (e) All of the above statements are factually incorrect

Answers: 1-C, 2-D, 3-C, 4-D, 5-C.